

M/V Kolt Levi

CLASSIFICATION

Official #: 1082888
IMO: 9207900
Type: PSV / DP1
Year Built: 1998

Documentation: ABS-A1-AMS/DPS1
USCG Sub Chapter L & I, OSV
US Flagged
Call Sign: WDI7784

DIMENSIONS

Length: 205'
Width: 46'
Depth: 17'
Clear Deck: 130' X 37'
Deck Cargo (tons): 835 LT
Gross Tonnage: 1099 LT

MACHINERY

Main Engines: 2-3516B
Horsepower: 4000 Total
Speed: 10 KTS
Generators: 2 Caterpillar
3304 T 100 KW
Bow Thrusters: 1 - 1,000 hp
Caterpillar 3508
Brunvoll CP

TONNAGE (ITC)

GT: 1,099 LT
NT:329 LT

CAPACITIES

Fuel Oil: 111,350 Gal.
Bulk Mud: 6900 Cubic Ft.
Liquid Mud: 3245 BBLs
Lube Oil: 2,100 Gal.
Waste Oil: 1,500 Gal.
Potable Water: 30,142 USG
Drill Water: 162,758 USG
*205,000 of fuel with liquid mud conversions and
can add 42,000 with additional piping.

ACCOMMODATIONS

Certified to Carry:	24
Berths total:	24
Passenger Berths:	15/Sub I - 18/Sub. L
Staterooms:	8
Heads/Shower:	8/8
Washer/Dryer:	2/2
TV/VCR/DVD:	Yes/Yes/Yes
Central Air/Heat:	Yes
Complete Galley:	Yes
Walk in Cooler:	Yes
Walk in Freezer:	Yes

Deck Equipment

3-Deck winches - 175,000 Lbs Line pull - 2 - 18,000 Lbs Line pull
1- Deck Caspan
1- Alaska marine crane 10,000Lbs @ 42'
2- Deck Air Tuggers
2- 20' A Frame Rated @ 20,000 Lbs SWL



2002





GROSS: 22000 LBS
TARE: 11000 LBS
PAY: 11000 LBS
CLAS





KOLT LEVI



MAX SWL 10,000 LBS





MAX SWL 10,000 LBS

SPECIALIST SERVICES
REDGUARD
specserve.rdguard.com

FLXEE

SLEU 206413
2261
MAX. GR. 22,000 LBS
TARE 2,300 LBS
NET 19,700 LBS
CU. CAP. 1,170 CU. FT.

MEI
MOTOR EQUIPMENT
9220-3

MAX SWL 10,000 LBS
TARE 2,300 LBS
NET 19,700 LBS
CU. CAP. 1,170 CU. FT.

2023-MAR-23



PRINCIPAL PARTICULARS
 LENGTH OVER ALL - 203'-5"
 LENGTH BET. P.P. - 191'-0"
 BREADTH (MLD) - 46'-0"
 DEPTH (MLD) - 17'-0"

- GENERAL NOTES:**
- ALL EQUIPMENT TO BE USCG APPROVED.
 - E.P.I.R.B. TO BE LOCATED IN SUCH A MANNER AS TO FLOAT FREE IF THE VESSEL SHOULD SINK.
 - THE HALON SYSTEM IS FOR THE ENGINE ROOM/BOW THRUSTER RM. OF LIFEJACKETS.
 - EACH FIRE STATION WILL BE NUMBERED IN RED LETTERS TWO (2) INCHES HIGH.
 - EMERGENCY SHUT-DOWN SYSTEM CONSISTS OF EMERGENCY SHUT DOWN FUEL OIL TRANSFER PUMPS, OILY BILGE PUMP, FUEL OIL STANDBY PUMP, FUEL OIL TRANSFER PUMP, ENGINE ROOM EXHAUST FAN #1 & #2, ENGINE ROOM SUPPLY FAN AND BOW THRUSTER SUPPLY FAN.
 - LIFE BUOYS WILL HAVE REFLECTIVE TAPE LOCATED AS REQUIRED BY USCG.
 - EMERGENCY SHUT-DOWN SYSTEM IS AN AIR ACTUATED VALVE CLOSURE SYSTEM, SIMULTANEOUSLY CLOSING ISOLATION VALVES FOR FUEL OIL, LIQUID MUD, FUEL OIL DAY TANKS & LUBE OIL.

APPROVED
 This approval covers only ABS requirements and does not include items not required by ABS. Details of this approval are set forth in the ABS letter.

SAFETY, FIRE-FIGHTING AND LIFESAVING APPLIANCES PLAN FOR M/V "KOLT LEVI"

SYMBOL	DESCRIPTION	QTY	SYMBOL	DESCRIPTION	QTY
DETECTORS/PORTABLE INSTRUMENT					
[Symbol]	SMOKE DETECTOR	13	[Symbol]	FIRE CONTROL PLAN	2
[Symbol]	HEAT DETECTOR ON CENTRAL ALARM	8	SIGNAL APPARATUS		
[Symbol]	SMOKE DETECTOR ON CENTRAL ALARM	6	[Symbol]	GENERAL ALARM CONTACT MAKER	3
[Symbol]	SMOKE DETECTOR ON CENTRAL ALARM	6	[Symbol]	GENERAL ALARM BEACON	4
[Symbol]	SMOKE DETECTOR ON CENTRAL ALARM	6	[Symbol]	ALARM BELL	7
MISCELLANEOUS					
[Symbol]	SOUND POWERED PHONE	8	[Symbol]	CO2 HORN (ALARM)	4
[Symbol]	PUBLIC ADDRESS SYSTEM	2	[Symbol]	FIRE ALARM PANEL	1
[Symbol]	FIRE AX	2	FIRE EXTINGUISHING EQUIPMENT		
[Symbol]	FIRST AID KIT	2	[Symbol]	FIXED CO2 BATTERY, FOR FLOODING SYSTEM	1
[Symbol]	EMERGENCY LIGHTS	27	[Symbol]	CO2 REMOTE RELEASE (PULL HANDLE)	2
[Symbol]	PORTABLE BATTERY LIGHT	2	PUMPS		
[Symbol]	12" SHIP'S BELL	1	[Symbol]	FIRE PUMP	1
[Symbol]	BLACK SHAPES	1	[Symbol]	FIRE PUMP START/STOP REMOTE CONTROL	1
[Symbol]	BLACK DIAMOND (DAY SHAPES)	1	[Symbol]	BILGE PUMP	1
LIFESAVING APPLIANCES					
[Symbol]	RESCUE BOAT W/ 15 H.P. MOTOR	1	VALVES		
[Symbol]	INFLATABLE LIFE RAFTS (10 MAN)	4	[Symbol]	INTERNATIONAL SHORE CONNECTION	1
[Symbol]	JACOB'S LADDER	1	INDICATION OF PROTECTION OF SPACE		
[Symbol]	LIFEBUOY WITH LIGHT & ACTIVATING SMOKE SIGNAL	2	[Symbol]	SPACE PROTECTED BY CO2	2
[Symbol]	30" RING BUOY WITH WATER LIGHT	4	FIRE EXTINGUISHER/PROVISION		
[Symbol]	30" RING BUOY WITH WATER LIGHT	4	[Symbol]	DRY CHEM. EXTINGUISHER-5kg	19
[Symbol]	30" RING BUOY WITH WATER LIGHT	2	[Symbol]	DRY CHEM. EXTINGUISHER-5kg	5
[Symbol]	ADULT LIFEJACKETS W/ LIGHT (SEE GEN NOTE #4)	28	[Symbol]	DRY CHEM. EXTINGUISHER-1kg	2
[Symbol]	GMDSS PORTABLE RADIO	1	[Symbol]	CO2 EXTINGUISHER-1kg	7
[Symbol]	EPIRB - EMERGENCY POSITION INDICATION RADIO BEACON	1	[Symbol]	FIRE STATIONS	6
[Symbol]	RADIO TRANSPONDER (SART)	2	[Symbol]	PORTABLE FOAM APPLICATOR UNIT W/ SPARE TANK	1
[Symbol]	PARACHUTE FLARES	12	FIREMAN'S OUTFIT/SAFETY EQUIPMENT		
[Symbol]	LINE-THROWING APPLIANCE	1	[Symbol]	SELF CONTAINED AIR BREATHING APPARATUS W/ SPARES BOTTLES AND FIRE SUITS	2
[Symbol]	LINE-THROWING APPLIANCE	1	(REMOTE) CONTROL FOR:		
[Symbol]	[Symbol]	4	[Symbol]	EMERGENCY SHUT-DOWN, MAIN ENGINE	4
[Symbol]	[Symbol]	2	[Symbol]	EMERGENCY SHUT-DOWN, FUEL OIL	2
[Symbol]	[Symbol]	1	[Symbol]	EMERGENCY SHUT-DOWN, DIRTY OIL	1
[Symbol]	[Symbol]	3	[Symbol]	EMERGENCY SHUT-DOWN, LIQUID MUD PUMP	3
[Symbol]	[Symbol]	2	[Symbol]	EMERGENCY SHUT-DOWN, BOW THRUSTER	2
[Symbol]	[Symbol]	2	[Symbol]	AIR ACTUATED VALVE CLOSURE SYSTEM (SEE GN #8)	2
[Symbol]	[Symbol]	4	[Symbol]	CLOSING APPLIANCE FOR VENTILATION LOUVERS	4
[Symbol]	[Symbol]	11	[Symbol]	FIRE DETECTION PULL BOX (MANUALLY OPERATED CALL POINT)	11
[Symbol]	[Symbol]	2	[Symbol]	REMOTE VENTILATION SHUTOFF (SEE GN #8)	2
[Symbol]	[Symbol]	1	[Symbol]	EMERGENCY SHUT-DOWN SYSTEM (SEE GN #8)	1

SEA SUPPORT VENTURES, LLC				
205' x 46' x 17' SUPPLY VESSEL				
FIRE & SAFETY PLAN				
DESIGNER	DATE	HULL NO.	DRAWING NO.	SHEET
A.DEGEDY	03-07-23	1800	1800-G10-01	1-OF-1
				REV 6